



TEGERA® 326

Synthetic leather glove, unlined, 0,7 mm synthetic leather, braided structure, polyester, Cat. II, black, blue, reinforced fingertips, water repellent palm, extra dense against dirt and particles, elasticated 180°, for assembly work

PROPERTIES

Good fingertip sensitivity, flexible, durable, good grip

SPECIFICATION

TYPE OF GLOVE Work gloves - General handling

CATEGORY Cat. II

SIZE RANGE (EU) 6, 7, 8, 9, 10, 11, 12, 13

PALM MATERIAL Synthetic leather

PALM THICKNESS 0,7 mm

BACK MATERIAL Polyester

LINING Unlined

DEXTERITY 5

GRIP PATTERN Braided structure

FASTENING Elasticated 180°

LENGTH RANGE 201-251 mm

COLOUR Black, Blue

PAIRS PER PACKAGE/CARTON 12/60

PAIRS PER HANGTAG 3

PIECES PER BOX 4

DISPLAY Hangtag with euro slot OUTER MATERIAL SPECIFICATION Polyurethane, polyester, nylon

SIZE	ART. NO.	EAN NO.
6	326-6	7340118313788
7	326-7	7340118313795
8	326-8	7340118313801
9	326-9	7340118313818
10	326-10	7340118313733
11	326-11	7340118313740
12	326-12	7340118313757
13	326-13	7340118313764

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
1111X



TEGERA® 326

FEATURES

Chrome free, breathable back, reinforced seams, reinforced fingertips, specially designed thumb, water repellent palm, extra dense against dirt and particles

PREVENTS RISK OF

Chrome allergy, abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, drying out, chapping

PRIMARY ENVIRONMENTS OF USE

Slippery environments, dry environments, wet environments, moist environments, dirty environments

PRIMARY AREAS OF USE

Airport work, assembly, building and construction, carpentry, construction, engineering, fine assembly, gardening, installation work, machine driving, machine operating, paper industry work, repair work, service work, shop work, soil preparation, transport work, warehouse work, wood industry work

PRIMARY INDUSTRIES OF USE

Automotive, transportation, utilities, building and construction, logistics, HoReCa, facilities, service, retail

TYPE OF WORK

Medium weight

2(3)

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-01-21

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 326

EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	1	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	1	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
1111X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-01-21

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com