

## TECHNICAL DATASHEET

### 3400X

|                |                                   |
|----------------|-----------------------------------|
| MATERIAL       | Cotton interlock, white, bleached |
| COATING        | Nitrile, yellow                   |
| SIZES          | 7-11                              |
| PACKAGING UNIT | 144 pairs                         |
| CERTIFICATION  | EN 388                            |



## DESCRIPTION

NITRAS premium nitrile gloves, white, bleached, nitrile coating, 3/4-coated, yellow, on cotton interlock, knitted wrist

## MATERIALS

|                        | MATERIAL                    | COLOUR         |
|------------------------|-----------------------------|----------------|
| PALM                   | Nitrile on cotton interlock | Yellow         |
| INDEX FINGER AND THUMB | Nitrile on cotton interlock | Yellow         |
| BACK OF THE HAND       | Nitrile on cotton interlock | Yellow / White |
| KNUCKLES PROTECTION    | -                           | -              |
| FINGERTIPS             | Nitrile on cotton interlock | Yellow         |
| CUFF / KNITTED WRIST   | Cotton interlock            | White          |

## TECHNICAL SPECIFICATION

| EN 420                                                                                           | TESTING PARAMETER    | LEVEL | RESULT |
|--------------------------------------------------------------------------------------------------|----------------------|-------|--------|
|                                                                                                  | DEXTERITY            | 1-5   | 5      |
| EN 388                                                                                           | TESTING PARAMETER    | LEVEL | RESULT |
| <br><b>4111</b> | ABRASION RESISTANCE  | 1-4   | 4      |
|                                                                                                  | BLADE CUT RESISTANCE | 1-5   | 1      |
|                                                                                                  | TEAR RESISTANCE      | 1-4   | 1      |
|                                                                                                  | PUNCTURE RESISTANCE  | 1-4   | 1      |

## DECLARATION OF CONFORMITY

**AS Arbeitsschutz GmbH**  
**Heinrich-Hertz-Str. 11**  
**50181 Bedburg**  
**GERMANY**


declares that the PPE described hereafter:

**ARTICLE:** 3400X

is in conformity with the provisions of Council Directive 89/686/EEC and with the European harmonised standards EN 420, EN 388 and is identical to the PPE which is the subject of EC certificate of conformity No. LPM 2017-0522 issued by:

**TESTING INSTITUTE:** ZVD (1493)  
Zavod za varstvo pri delu d.o.o.  
Chengdujska cesta 25  
1260 Ljubljana-Polje  
SLOVENIA

Bedburg, 10.04.2017

A handwritten signature in black ink, appearing to read "Jens Thome", written over a horizontal line.

JENS THOME  
GESCHÄFTSFÜHRER | MANAGING DIRECTOR  
AS ARBEITSSCHUTZ GMBH